

### Micro Relay A

TE Internal #: 6-1393292-3


24VDC Coil Voltage Rating, 20 – 30A Contact Current Class, Contact Arrangement 1 Form C SPDT-CO, 436ohm Coil Resistance,

Micro Relay A, Micro Relays

View on TE.com >





Relays & Contactors > Relays > Automotive Relays > Automotive Plug-In Relays > Micro Relays











Coil Voltage Rating: 24 VDC

Contact Current Class: 20 – 30 A

Contact Arrangement: 1 Form C SPDT-CO

Coil Resistance:  $436 \Omega$ 

### **Features**

### **Product Type Features**

Product Type reatures	
Relay Type	General Purpose Power Relay
Configuration Features	
Contact Arrangement	1 Form C SPDT-CO
Electrical Characteristics	
Insulation Initial Dielectric Between Open Contacts	5000 Vrms
Insulation Initial Dielectric Between Contacts & Coil	500 Vrms
Contact Current Rating	25 A
Contact Switching Load (Min)	1A @ 5V
Coil Voltage Rating	24 VDC
Coil Resistance	436 Ω
Contact Features	
Contact Material	Silver Alloy
Mechanical Attachment	

Socket

Product Mount Type



#### **Dimensions**

Product Width	15.5 mm[.61 in]
Product Length	23 mm[.905 in]
Product Height	25.4 mm[1 in]

#### Other

Length Class (Mechanical)	20 – 25 mm
Coil Power Rating Class	1 – 1.5 W
Width Class (Mechanical)	16 – 20 mm
Contact Current Class	20 – 30 A

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





TE Part # 2141022-1 RELAY BOX ASSY, HARD WIRED







# Also in the Series | Micro Relay A



## Customers Also Bought





Relay 29-114-11A









TE Part #2141031-2 FIXATION, BRAKET FOR BOX, ASSY







TAB 2.8x0.8 CONTACT CF SWS Sn









### **Documents**

### **Product Drawings**

V23074A2002A403-EV-CBOX

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_6-1393292-3\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-1393292-3\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-1393292-3\_O.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**Automotive Relay Application Notes** 

English

MFINITY Modular Hard Wired Fuse and Relay Box

English

Micro Relay A, Micro ISO, Plug-in

English