

4

THIS DRAWING IS UNPUBLISHED.

3

20

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	11JULY2016	W.Z	X.X
	B	ADD UL MARK	16JUL2018	W.Z	S.M

DATE CODE

YY WW X

YY=YEAR
EX:15=2015

WW=WEEK
EX:12=12

X=DAY
EX:5=5

UL MARK

UL

TE

TE

DATE CODE

L1 L2 L3

14.30

UL MARK

UL

10.50

8.45

8.45

5.00

25.50

NOTE:

1. PART NUMBER: SEE TABLE.

2. MATERIAL:

TERMINAL: COPPER ALLOY

HOUSING: THERMOPLASTIC,UL94-V0.

3. FINISH

TERMINAL: TIN PLATING OVERALL.

4. PACKAGING: PLASTIC BAG.

5. APPLICABLE WIRE:

SOLID: 18-22AWG

STRANDED WIRE: 16-20AWG(26 STRANDS MAX. FOR 16AWG

16 STRANDS MAX. FOR 18AWG,7 STRANDS MAX. FOR 20AWG)

6. MARK APPROXIMATION LOCATION.

2834055-4

2834054-4

RED

2834055-3

2834054-3

ORANGE

2834055-2

2834054-2

BLACK

2834055-1

2834054-1

NATURAL

PART NUMBER

MATING PART

PART COLOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0-PLC

1-PLC

2-PLC

3-PLC

4-PLC

ANGLES

FINISH

±0.50

±

±

±

±

±1°

-

-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

18DEC2015

18DEC2015

18DEC2015

108-137160

114-137160

2.32g

TE

TE Connectivity

NAME

3 PIN WIRE TO WIRE CONNECTOR

REC ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2834055

SCALE

2:1

SHEET

1

OF

4

REV

B

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

DATE CODE

YY WW X

YY=YEAR
EX: 15=2015

WW=WEEK
EX: 12=12

X=DAY
EX: 5=5

TE

TE

DATE CODE

L1 L2 L3

UL MARK

9.50

16.26

14.30

5.00

25.50

8.45

NOTE:

1. PART NUMBER: SEE TABLE.

2. MATERIAL:

TERMINAL: COPPER ALLOY

HOUSING: THERMOPLASTIC, UL94-V0.

3. FINISH

TERMINAL: TIN PLATING OVERALL.

4. PACKAGING: PLASTIC BAG.

5. APPLICABLE WIRE:

SOLID: 18-22AWG

STRANDED WIRE: 16-20AWG(26 STRANDS MAX. FOR 16AWG

16 STRANDS MAX. FOR 18AWG, 7 STRANDS MAX. FOR 20AWG)

6. MARK APPROXIMATION LOCATION.

1-2834055-4

RED

1-2834055-3

ORANGE

1-2834055-2

BLACK

1-2834055-1

NATURAL

PART NUMBER

PART COLOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±0.50

0-PLC

1-PLC

2-PLC

3-PLC

4-PLC

ANGLES

±1°

MATERIAL

FINISH

DWN
ZHANG WEI
CHK
SHI MING
APVD
XU XIANG
PRODUCT SPEC
108-137160
APPLICATION SPEC
114-137160
WEIGHT
2.38g
CUSTOMER DRAWING

18DEC2015

18DEC2015

18DEC2015

TE

TE Connectivity

NAME

3 PIN WIRE TO WIRE CONNECTOR REC ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2834055

SCALE

4:1

SHEET


2 OF 4

REV

B

1470-19 (3/13)

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



NOTE:
MODULE TYPE COLOR FROM LEFT TO RIGHT AS DRAWING SHOW.

2-2834055-3	I	I-2834055-3	ORANGE
	I	I-2834055-3	ORANGE
2-2834055-2	I	I-2834055-4	RED
	I	I-2834055-2	BLACK
2-2834055-1	I	I-2834055-2	BLACK
	I	I-2834055-1	NATURAL
PART NUMBER	Q'TY	MADE FROM	PART COLOR

P / N : 2 - 2834055 - 1 / 2 / 3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

± 0.50

0-PLC ±

1-PLC ±

2-PLC ±

3-PLC ±

4-PLC ±

ANGLES ±1°

MATERIAL

-

-

FINISH

-

-

DWN ZHANG WEI 18DEC2015

CHK SHI MING 18DEC2015

APVD XU XIANG 18DEC2015

PRODUCT SPEC 108-137160

APPLICATION SPEC 114-137160

WEIGHT 4.76g

CUSTOMER DRAWING

TE Connectivity

NAME

3 PIN WIRE TO WIRE CONNECTOR REC ASSEMBLY

-

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-2834055

-


SCALE 2:1

SHEET 3 OF 4

REV B



A line drawing of a bag with a label and a pointer. The bag has a rectangular label on its front. A pointer, represented by a line with an arrowhead, points to the top edge of the bag.



NOTE:
1. PACKAGING QUANTITY: SEE TABLE.

PART NUMBER	PAIRS PER BAG	BAGS PER CARTON	PAIRS PER CARTON
2-2834055-*	150	6	900

1470-19 (3/13)